System Model name

EZGREY GFPS GFPRO EZGREY - AG - M 1 - L

Special configuration

L - Short System with Lower Inlet & overflow

Installation details

AG - Above Ground/Partially Burried

Type Of Filtration

M- Manual cleaning of filters

S - Automatic Backflush Filtration

Pump Size

1-100 watt pump 3- 300 watt Pump

4-400 watt Pump

ITEM	DESCRIPTION	PUMP SIZE	CODE	PRICE (SAU Ex. GST)
	MANUAL CLEA			
	EZGREY SHORT MANUAL 50mm inlet & overflow 50L buffer tank 800 x 400 x 400mm (H)	100 W 300 W	EZGREY-S-M1 EZGREY-S-M3	950 1100
EZGFEY	EZGREY MANUAL 50mm inlet & overflow 50L buffer tank 400 x 400 x 600m (H)	100 W	EZGREY-M1	900
	GREYFLOW PS Above Ground 100mm inlet & overflow 50L buffer tank 600 x 600 x 600mm (H)	100 W 300 W 400 W	GFPS-AG-M1 GFPS-AG-M3 GFPS-AG-M4	1400 1550 1750
	GREYFLOW PRO Above Ground 100mm inlet & overflow 100L buffer tank	100 W 300 W 400 W	GFPRO-AG-M1 GFPRO-AG-M3 GFPRO-AG-M4	2250 2400 2600
	AUTOMATIC F	ILTER BACKF	LUSH	
	GREYFLOW PS Above Ground 100mm inlet & overflow 50L buffer tank	100 W 300 W 400 W	GFPS-AG-S1 GFPS-AG-S3 GFPS-AG-S4	2250 2400 2600
	GREYFLOW PRO Above Ground 100mm inlet & overflow 100L buffer tank	100 W 300 W 400 W	GFPRO-AG-S1 GFPRO-AG-S3 GFPRO-AG-S4	3000 3150 3350



System Model name • GFPS GFPRO

installation stage

A- stage 1 Builder's Kit

B- stage 2 Finishing Kit

GFPRO-B-S4 -

`

M- Manual cleaning of filters

Type Of Filtration

S - Automatic Backflush Filtration

Pump Size

1-100 watt pump

3- 300 watt Pump

4-400 watt Pump

PRICE ITEM PUMP SIZE DESCRIPTION CODE (SAU Ex. GST) **STAGE 1 OF 2: BUILDERS KIT GREYFLOW PS-A** 900 N/A GFPS-A 100mm inlet & overflow 30L buffer tank **GREYFLOW PRO-A** 100mm inlet & overflow 100L buffer tank GFPRO-A N/A 1700 100mm reflux valve STAGE 2 OF 2: FINISHING KIT 100 W 650 GFPS-B-M1 **GREYFLOW PS & PRO B-M** Manual filter cleaning 300 W GFPS-B-M3 800 Pump with float switch 400W GFPS-B-M4 1000 Extra filters 100 W **GREYFLOW PS & PRO B-S** 1450 GFPS-B-S1 Automatic filter backflush 300 W GFPS-B-S3 1600 Pump with float switch Extra filters 400 W GFPS-B-S4 1800 **GREYWATER IRRIGATION** Grey Flow Drip-Tube GFDL-100 160 (100m Coil) - 7 to 10L/h at 0.3m spacing **Grey Flow Drip-Tube Kit** 190 GFDL-K (100m Coil + 1 punch tool + 25 take-offs) For sub-strata **Grey Flow Drip-Tube Complete Kit** GFDL-CK 44444 320 installation (100m Coil + 1 punch tool + 25 take-offs + 25m of 25mm LDPE + Misc 25mm barb fittings) Minimum flow rate Grey Flow 6-way Rotor Valve GFRT-6 180 10 L/m 13mm Air release valve 15 GFAV-13 25mm manual barb flush valve GFFV-25 10 Flow up to 5cum/hr 25mm Ultrasonic water meter Qalsonic 25 400



© WATER CAPTURE ₩ ABOVE GROUND/ PARTIALLY BURIED GREYWATER SYSTEMS ~ PRICES 2022

ITEM	DESCRIPTION	CONDITION OF USE	CODE	PRICE (\$AU Ex. GST)
	GreyFlow & EZGREY Filter 250mm Diameter	For GFPRO	GFFT-250	60
	GreyFlow 100 Watt Pump w/ Float Switch	For all models	GFPMP-100	500
	GreyFlow 300 Watt Pump w/ Float Switch	For all models	GFPMP-300	650
	GreyFlow 400 Watt Pump w/ Float Switch	For GFPS & GFPRO	GFPMP-400	850
	GreyFlow 750 Watt Pump w/ Float Switch	For GFPRO	GFPMP-750	1250
	Air Blower 200 Watt	For GFSCM	GFSC-PMP	300
	GreyFlow Controller	For GFPS & GFPRO	GF-CNT	300
	Float Switch	For GFPS & GFPRO	GFPS-SNS	60
	25mm Check Valve	For GFPS & GFPRO	GFCV-25	30
	Wall mounted cabinet	For GFPS & GFPRO	GFWMC-1	300
	Non trafficable Cover	For GFPRO	GFNT-RC	300
	Pedestrian trafficable 600mm round	For GFPS & GFPRO	GFPS-RC	350
	Class C Trafficable Cover	For GFPS & GFPRO	GFT-RC	700
	GreyFlow PRO Pit Extension	For GFPRO	GFPRO-EXT	300

